





# TUBA111 LED light units + accessories



1200lm / CRI 90						add to Code		
lumens (system)	W (system)	lm/W (system)	CRI	CCT	beam	White structure (front)	Black structure (front)	Matt Gold (front)
970lm	9.4W	103lm/W	>90	2700K		.12A927S.WH	.12A927S.BK	.12A927S.MG
1020lm	9.4W	109lm/W	>90	3200K BBBL	spot / 12°	.12A930S.WH	.12A930S.BK	.12A930S.MG
1100lm	9.4W	117lm/W	>90	4000K		.12A940S.WH	.12A940S.BK	.12A940S.MG
990lm	9.4W	105lm/W	>90	2700K		.12A927M.WH	.12A927M.BK	.12A927M.MG
1040lm	9.4W	111lm/W	>90	3200K BBBL	medium / 25°	.12A930M.WH	.12A930M.BK	.12A930M.MG
1130lm	9.4W	120lm/W	>90	4000K		.12A940M.WH	.12A940M.BK	.12A940M.MG
950lm	9.4W	101lm/W	>90	2700K		.12A927F.WH	.12A927F.BK	.12A927F.MG
1020lm	9.4W	108lm/W	>90	3200K BBBL	flood / 38°	.12A930F.WH	.12A930F.BK	.12A930F.MG
1090lm	9.4W	116lm/W	>90	4000K		.12A940F.WH	.12A940F.BK	.12A940F.MG
2000lm / CRI 90						add to Code		
lumens (system)	W (system)	lm/W (system)	CRI	CCT	beam	White structure (front)	Black structure (front)	Matt Gold (front)
1590lm	17.5W	91lm/W	>90	2700K		.20A927S.WH	.20A927S.BK	.20A927S.MG
1720lm	17.5W	98lm/W	>90	3200K BBBL	spot / 12°	.20A930S.WH	.20A930S.BK	.20A930S.MG
1860lm	17.5W	106lm/W	>90	4000K		.20A940S.WH	.20A940S.BK	.20A940S.MG
1650lm	17.5W	94lm/W	>90	2700K		.20A927M.WH	.20A927M.BK	.20A927M.MG
1770lm	17.5W	101lm/W	>90	3200K BBBL	medium / 25°	.20A930M.WH	.20A930M.BK	.20A930M.MG
1890lm	17.5W	108lm/W	>90	4000K		.20A940M.WH	.20A940M.BK	.20A940M.MG
1580lm	17.5W	90lm/W	>90	2700K		.20A927F.WH	.20A927F.BK	.20A927F.MG
1700lm	17.5W	97lm/W	>90	3200K BBBL	flood / 38°	.20A930F.WH	.20A930F.BK	.20A930F.MG
1820lm	17.5W	104lm/W	>90	4000K		.20A940F.WH	.20A940F.BK	.20A940F.MG
3000lm / CRI 90						add to Code		
lumens (system)	W (system)	lm/W (system)	CRI	CCT	beam	White structure (front)	Black structure (front)	Matt Gold (front)
2380lm	27.4W	87lm/W	>90	2700K		.30A927S.WH	.30A927S.BK	.30A927S.MG
2580lm	27.4W	94lm/W	>90	3200K BBBL	spot / 12°	.30A930S.WH	.30A930S.BK	.30A930S.MG
2740lm	27.4W	100lm/W	>90	4000K		.30A940S.WH	.30A940S.BK	.30A940S.MG
2440lm	27.4W	89lm/W	>90	2700K		.30A927M.WH	.30A927M.BK	.30A927M.MG
2630lm	27.4W	96lm/W	>90	3200K BBBL	medium / 25°	.30A930M.WH	.30A930M.BK	.30A930M.MG
2790lm	27.4W	102lm/W	>90	4000K		.30A940M.WH	.30A940M.BK	.30A940M.MG
2630lm	27.4W	96lm/W	>90	2700K		.30A927F.WH	.30A927F.BK	.30A927F.MG
2520lm	27.4W	92lm/W	>90	3200K BBBL	flood / 38°	.30A930F.WH	.30A930F.BK	.30A930F.MG
2710lm	27.4W	99lm/W	>90	4000K		.30A940F.WH	.30A940F.BK	.30A940F.MG

Driver type	add to Code
fixed output	.F
DALI	.D

Baffle / accessories	add to Code		
	white	black	matt gold
Baffle (optional)	.BW	.BB	.BG
Honeycomb filter (optional)	Black		.HC
Glass (optional)	Clear		.GL
	Frosted		.FG

